EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	leela near tamma.in.	US-PGPUB; USPAT	OR	ON	2007/11/13 15:58
L2	2	krishna near vitaldevara.in.	US-PGPUB; USPAT	OR	ON	2007/11/13 15:58
L3	19038	microsoft.as.	US-PGPUB; USPAT	OR	ON	2007/11/13 15:58
L4	1	L3 and (version$4 and data$1base and union).clm.	US-PGPUB; USPAT	OR	ON	2007/11/13 15:58
L5	193	L3 and (version$4 and data$1base).clm.	US-PGPUB; USPAT	OR	ON	2007/11/13 15:58
L6	1	L3 and (version$4 and data$1base and ddl).clm.	US-PGPUB; USPAT	OR	ON	2007/11/13 15:58
L7	2	L3 and (ddl and dml).clm.	US-PGPUB; USPAT	OR	ON	2007/11/13 15:58
L8	50	("20050198630" "6970876" "20020169745" "20060259458" "20020059280" "20040225696" "5737736" "6026408" "7181456" "20040039732" "20050010896" "5495604" "5574908" "5590322" "5592668" "5729731" "6144956" "5640550" "6397219" "6466940" "6151608" "20070067120" "6112024" "20050149582" "6385604" "6901405" "20050256889" "5511186" "5740421" "5819264" "6016499" "6138112" "5317742" "5873093" "6122641" "6996589" "7167862" "20040006549" "20040015829" "20040177093" "20040181542" "20060282429" "20070016608" "20070088757" "6279006" "6581052" "6826558" "7007007" "20030191774" "20050065948"). pn.	US-PGPUB; USPAT	OR	ON	2007/11/13 15:58
L9	1935	707/203.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L10	4382	717/120-123,168-178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58

L11	152	(L9 or L10) and (version$4 and data$1base and union)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L12	134	L11 and (@pd<"20040308" or @ad<"20040308" or @prad<"20040308" or @rlad<"20040308")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L13	1086	set adj theory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L14	497	L13 and data$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L15	126	L14 and (union with set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L16	85	L15 and version$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L17	66	L16 and (@pd<"20040308" or @ad<"20040308" or @prad<"20040308" or @rlad<"20040308")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L18	328	ddl and dml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58

EAST Search History

L19	194	L18 and data$1base and version$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L20	59	L19 and union	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L21	20	L9 and ddl and dml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L22	58	L19 and install$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L23	2	L19 and (installation adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L24	109	("4627019" | "4853843" | "4875159" | "5043876").PN. OR ("5280612").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/13 15:58
L25	158	L19 and (union$4 or merg$4 or combin$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L26	71	L25 and install$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58

L27	17	(US-20030061245-$).did. or (US-6970876-$ or US-5280612-$ or US-5440730-$ or US-5659735-$ or US-6226650-$ or US-6324693-$ or US-7028057-$ or US-7162689-$ or US-6980988-$ or US-6351753-$ or US-6216136-$ or US-6081806-$ or US-5950210-$ or US-5873097-$ or US-5806075-$ or US-5765171-$).did.	US-PGPUB; USPAT	OR	ON	2007/11/13 15:58
L28	4	L27 and ddl and dml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L29	2	"5806066".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L30	23	L9 and "installation file"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L31	5180	(L9 or L10) and ((upgrad$4 or updat$4) version$4 and data$1base)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L32	26	L31 and ddl and dml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L33	6	("5806066" | "5974418" | "6343287" | "6363411" | "6523036" | "6615223").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/13 15:58
L34	130	schema adj evolution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58

EAST Search History

L35	99	L34 and version$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L36	90	L35 and data$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L37	3248	707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L38	6	L37 and (schema and version$4 and ddl and dml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L39	5017	xml with version$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L40	3665	L39 and data$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58

L41	27	(US-20030061245-$ or US-20060004781-$ or US-20040083218-$ or US-20050071359-$ or US-20020174142-$).did. or (US-6970876-$ or US-7162689-$ or US-7028057-$ or US-6351753-$ or US-6324693-$ or US-6226650-$ or US-5873097-$ or US-5440730-$ or US-5280612-$ or US-5659735-$ or US-6980988-$ or US-6216137-$ or US-6216136-$ or US-6081806-$ or US-6119130-$ or US-5950210-$ or US-5806075-$ or US-5765171-$ or US-5806066-$ or US-7031974-$ or US-4912637-$ or US-6970844-$). did.	US-PGPUB; USPAT	OR	ON	2007/11/13 15:58
L42	59	xml with version$4 with script	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L43	1935	707/203.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L44	58	L43 and (xml with version$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L45	2	"20030028511".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L46	63362	"707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58

EAST Search History

L47	168	L46 and (set adj theory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L48	220	(data adj definition adj language) and (data adj manipulation adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L49	60	L48 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L50	87	L43 and (xml same version$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L51	3	ddl and dml and ((version$4 near3 data$1base) same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L52	18	ddl and dml and (version$4 with xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L53	3514	717/168-178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L54	1391	L53 and (merg$4 or combin$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58

L55	67	L50 and (@pd<"20040308" or @ad<"20040308" or @prad<"20040308" or @rlad<"20040308")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L56	8	drop adj script	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L57	20	ddl and dml and ((version$4 near3 data$1base) and xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L58	100	L47 and version$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L59	1636	(xml adj schema adj definition) or xsd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L60	5	L59 and ddl and dml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L61	6	("5806066" | "5974418" | "6343287" | "6363411" | "6523036" | "6615223").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/13 15:58
L62	78	schema same version$4 same script	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L63	69	L62 and data$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58

EAST Search History

L64	2	(ddl adj script) and (dml adj script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L65	19	(merg$4 or combin$4 or union$4 or contain$4) same ((data adj definition adj language) same (data adj manipulation) adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L66	13	(pre$1pend or add) near3 (create adj (command or statement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L67	0	pre$1pend near3 (create adj (command or statement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L68	1698	create adj command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L69	1095	("xml schema definition" or xsd) with xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L70	768	L69 and data$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L71	329	L70 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58

EAST Search History

L72	789	L68 and data$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L73	23	L72 and dml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L74	869	drop adj table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L75	4895	(pre$1pend or add) near3 create	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L76	2430	L75 and data$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L77	151	L74 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L78	94	L77 and version$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L79	1508	("xml schema definition" or xsd) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58

L80	233	L71 and version$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L81	16	("6415299" "6460052" "5467471" "6119130" "6216136" "4912637" "6970844" "7043487").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:58
L82	7	(merg$4 or combin$4 or union$4 or contain$4) with ((data adj definition adj language) with (data adj manipulation) adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:59
L83	7	L82 and ddl and dml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:59
L84	2	"20040148567".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:59
L85	14	("20020152244"|"20040015369"|"5499365"|"6675353"|"6904454"|"6912529").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:59
L86	46	L44 and (@pd<"20040308" or @ad<"20040308" or @prad<"20040308" or @rlad<"20040308")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:59
L87	3	L41 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:59

L88	2	"6947945".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:59
L89	150	(set adj theory) same (merg$4 or combin$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:59
L90	91	L89 and data$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:59
L91	635	(9 or 10) and @pd>="20070419"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 17:35
L92	92	91 and (data$1base near3 (upgrad$4 or updat$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 17:36
L93	13	92 and schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 17:36
L94	1	"6912711".pn.	US-PGPUB; USPAT	OR	ON	2007/11/13 17:45